ELSEVIER

International Journal of Mass Spectrometry 229 (2003) 241

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 229

Abbet, S., 99
Achatz, U., 61
Amelynck, C., 231
Appelhans, A.D., 157
Arijs, E., 231
Aumayr, F., 27

Balteanu, I., 61
Bergeron, D.E., 11
Beyer, M.K., 61
Bhatt, P., 151
Blom, M.N., 93
Bondybey, V.E., 61
Bramwell, C.J., 209

Cai, Y., 67
Castleman Jr., A.W., 11
Cernusca, S., 27
Chang, H.-C., 67
Chu, S.-Y., 199
Chudak, M., 225
Colgrave, M.L., 209
Creaser, C.S., 209

Danell, A.S., 35
Delmore, J.E., 157
Drewello, T., 3
Drewsen, M., 83

Fati, D., 3
Fox, B.S., 61
Freeman, C.G., 143

Gao, L., 11
Gebeshuber, I.C., 27
Goldberg, S., 55
Goldberg, S.A., 181

Hampe, O., 93
Hartig, J., 93
Heber, O., 55
Heiz, U., 99
Herlert, A., 19

Jensen, I., 83
Johnson, K.B., 157
Judai, K., 99
Juskowiak, B., 225

Kalo, P., 167
Kappes, M.M., 1, 93
Kaya, K., 77
Kellerbauer, A., 107
Kemppinen, A., 167
Koyasu, K., 77
Kuksis, A., 167
Kumar, J., 151

Lee, Y.T., 67
Lindballe, J., 83
Lyn, M.E., 11

Martinussen, R., 83
McEwan, M.J., 143
Mortensen, A., 83

Nakajima, A., 77
Nissen, N., 83

Ollilainen, V., 167

Pal, S., 151
Parks, J.H., 35
Peng, W.-P., 67
Petru Balaj, O., 61
Pramann, A., 77

Rappaport, M., 55
Ren, Y., 199
Richter, S., 181
Röttgen, M.A., 99
Rudich, Y., 55
Rühl, E., 117

Sagi, I., 55
Savin, D.W., 55
Schenkel, T., 47
Schoon, N., 231
Schweikhard, L., 19
Staanum, P., 83
Strasser, D., 55

Takenaka, S., 225
Taylor, R., 3

Vasil'ev, Y.V., 3
Vereecken, L., 231
Voigt, D., 83

Wachter, N.K., 3
Wilson, P.F., 143
Winter, H.P., 27
Wörz, A.S., 99
Wu, K.J., 47

Yang, J., 199

Zajfman, D., 55
Zhu, H.-j., 199
Zyakun, A.M., 217

doi:10.1016/S1387-3806(03)00397-X

ELSEVIER

International Journal of Mass Spectrometry 229 (2003) 243–245

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 229

Adsorption
The effect of charge upon CO-adsorption by ionic group 5 and group 9 transition metal clusters, 61
Atomic masses
Recent improvements of ISOLTRAP: absolute mass measurements of exotic nuclides at 10^{-8} precision, 107

Band gap shifting
Band gap shiftings in Co-doped Nb_n ($n = 3$–15) clusters: influence of Co 3d electrons on the electronic structure, 77
Binding energies
Recent improvements of ISOLTRAP: absolute mass measurements of exotic nuclides at 10^{-8} precision, 107
Biopolymers
FRET measurements of trapped oligonucleotide duplexes, 35

Carbon clusters
Recent improvements of ISOLTRAP: absolute mass measurements of exotic nuclides at 10^{-8} precision, 107
Carbon dioxide isotopomers
What factors can limit the precision of isotope ratio measurements in the isotopomer pool?, 217
Charge localisation
MALDI mass spectrometric determination of molecular site-specific charge localisation, and laser-induced coalescence reactivity of fullerenodendrimers, 3
Chemical ionization of hydrocarbons
Reactions of small hydrocarbons with H_3O^+, O_2^+ and NO^+ ions, 143
Chlorine molecule
Electron impact ionization of the Cl_2 molecule, 151
Coalescence
MALDI mass spectrometric determination of molecular site-specific charge localisation, and laser-induced coalescence reactivity of fullerenodendrimers, 3
Conventional isotope measurement
What factors can limit the precision of isotope ratio measurements in the isotopomer pool?, 217
CO-oxidation
Turn-over frequencies of catalytic reactions on nanocatalysts measured by pulsed molecular beams and quantitative mass spectrometry, 99
Core level excitation
Core level excitation, ionization, relaxation, and fragmentation of free clusters, 117
Coulomb barrier
Production of dianionic and trianionic noble metal clusters in a Penning trap, 19
Electron attachment to negative fullerene ions: a Fourier transform mass spectrometric study, 93
Coulomb crystals
Ion Coulomb crystals: a tool for studying ion processes, 83

Dendrimers
MALDI mass spectrometric determination of molecular site-specific charge localisation, and laser-induced coalescence reactivity of fullerenodendrimers, 3
Dianions
Production of dianionic and trianionic noble metal clusters in a Penning trap, 19
Differential cross-section
Electron impact ionization of the Cl_2 molecule, 151
Diisotopomers
What factors can limit the precision of isotope ratio measurements in the isotopomer pool?, 217

Electron affinity
Band gap shiftings in Co-doped Nb_n ($n = 3$–15) clusters: influence of Co 3d electrons on the electronic structure, 77
Electron attachment
Electron attachment to negative fullerene ions: a Fourier transform mass spectrometric study, 93
Electron impact
Electron impact ionization of the Cl_2 molecule, 151
Electrospray ionization
Analysis of regioisomers of short-chain triacylglycerols by normal phase liquid chromatography–electrospray tandem mass spectrometry, 167

Fourier transformation
High resolution mass spectrometry using a linear electrostatic ion beam trap, 55
Fragmentation
Core level excitation, ionization, relaxation, and fragmentation of free clusters, 117
Free clusters
Core level excitation, ionization, relaxation, and fragmentation of free clusters, 117
FRET
FRET measurements of trapped oligonucleotide duplexes, 35
FT-ICR mass spectrometry
Electron attachment to negative fullerene ions: a Fourier transform mass spectrometric study, 93
Fullerene dianions
Electron attachment to negative fullerene ions: a Fourier transform mass spectrometric study, 93
Fullerenes
MALDI mass spectrometric determination of molecular site-specific charge localisation, and laser-induced coalescence reactivity of fullerenodendrimers, 3
Recent improvements of ISOLTRAP: absolute mass measurements of exotic nuclides at 10^{-8} precision, 107

Gramicidin S
Probing nano-environments of peptide molecules on solid surfaces by highly charged ion secondary ion mass spectrometry, 47

Hidden errors of measurement
What factors can limit the precision of isotope ratio measurements in the isotopomer pool?, 217
High resolution mass spectrometry
High resolution mass spectrometry using a linear electrostatic ion beam trap, 55

doi:10.1016/S1387-3806(03)00398-1

High-resolution transmission electron microscope (HRTEM)
Met-Cars: mass deposition and preliminary structural study via TEM, 11
HOMO-LUMO gap
Band gap shiftings in Co-doped Nb_n ($n = 3$–15) clusters: influence of Co 3d electrons on the electronic structure, 77
Hybrid DFT method
Gas-phase non-identity S_N2 reactions at neutral nitrogen: a hybrid DFT study, 199

Ion detection
Ion Coulomb crystals: a tool for studying ion processes, 83
Ion emitters
High intensity perrhenate anion (ReO_4^-) emitters, 157
Ion mobility spectrometry
Nanoelectrospray ion mobility spectrometry and ion trap mass spectrometry studies of the non-covalent complexes of amino acids and peptides with polyethers, 209
Ion processes
Ion Coulomb crystals: a tool for studying ion processes, 83
Ion traps
Ion Coulomb crystals: a tool for studying ion processes, 83
Ion/molecule reactions
A selected ion flow tube study of the reactions of H_3O^+, NO^+ and O_2^+ with a series of monoterpenes, 231
Ionization
Core level excitation, ionization, relaxation, and fragmentation of free clusters, 117
Electron impact ionization of the Cl_2 molecule, 151
Ion-molecule rate coefficients
Reactions of small hydrocarbons with H_3O^+, O_2^+ and NO^+ ions, 143
Ion–surface interaction
Nanoscopic surface modification by slow ion bombardment, 27
Isotope fractionation
What factors can limit the precision of isotope ratio measurements in the isotopomer pool?, 217
Isotope ratios
Improved techniques for high accuracy isotope ratio measurements of nuclear materials using thermal ionization mass spectrometry, 181

Laser desorption/ionization
MALDI mass spectrometric determination of molecular site-specific charge localisation, and laser-induced coalescence reactivity of fullerenodendrimers, 3
Laser vaporization
Met-Cars: mass deposition and preliminary structural study via TEM, 11
Laser-induced fluorescence
Laser-induced fluorescence/ion trap as a detector for mass spectrometric analysis of nanoparticles, 67
Linear electrostatic ion beam trap
High resolution mass spectrometry using a linear electrostatic ion beam trap, 55

MALDI
MALDI mass spectrometric determination of molecular site-specific charge localisation, and laser-induced coalescence reactivity of fullerenodendrimers, 3
MALDI TOF mass spectrometry
Detection of noncovalent interactions of hairpin oligonucleotide with stilbazolium ligands by MALDI TOF mass spectrometry, 225
Mass deposition
Met-Cars: mass deposition and preliminary structural study via TEM, 11
Mass spectrometer
Recent improvements of ISOLTRAP: absolute mass measurements of exotic nuclides at 10^{-8} precision, 107
Mass spectrometry
Nanoelectrospray ion mobility spectrometry and ion trap mass spectrometry studies of the non-covalent complexes of amino acids and peptides with polyethers, 209
Metal clusters
Production of dianionic and trianionic noble metal clusters in a Penning trap, 19
Metallocarbohedrenes (Met-Cars)
Met-Cars: mass deposition and preliminary structural study via TEM, 11
Monoterpenes
A selected ion flow tube study of the reactions of H_3O^+, NO^+ and O_2^+ with a series of monoterpenes, 231
Multianions
Electron attachment to negative fullerene ions: a Fourier transform mass spectrometric study, 93
Multicharged ions
Nanoscopic surface modification by slow ion bombardment, 27
Multi-dynamic measurements
Improved techniques for high accuracy isotope ratio measurements of nuclear materials using thermal ionization mass spectrometry, 181

Nanocatalysis
Turn-over frequencies of catalytic reactions on nanocatalysts measured by pulsed molecular beams and quantitative mass spectrometry, 99
Nano-environments
Probing nano-environments of peptide molecules on solid surfaces by highly charged ion secondary ion mass spectrometry, 47
Nanoparticles
Laser-induced fluorescence/ion trap as a detector for mass spectrometric analysis of nanoparticles, 67
Noncovalent interactions
Detection of noncovalent interactions of hairpin oligonucleotide with stilbazolium ligands by MALDI TOF mass spectrometry, 225
Normal phase liquid chromatography
Analysis of regioisomers of short-chain triacylglycerols by normal phase liquid chromatography–electrospray tandem mass spectrometry, 167
Nucleophilicity
Gas-phase non-identity S_N2 reactions at neutral nitrogen: a hybrid DFT study, 199

Oligonucleotides
FRET measurements of trapped oligonucleotide duplexes, 35
Detection of noncovalent interactions of hairpin oligonucleotide with stilbazolium ligands by MALDI TOF mass spectrometry, 225
Oxygen isotopes
What factors can limit the precision of isotope ratio measurements in the isotopomer pool?, 217

Palladium clusters
Turn-over frequencies of catalytic reactions on nanocatalysts measured by pulsed molecular beams and quantitative mass spectrometry, 99
Penning trap
Production of dianionic and trianionic noble metal clusters in a Penning trap, 19
Peptides
Probing nano-environments of peptide molecules on solid surfaces by highly charged ion secondary ion mass spectrometry, 47
Nanoelectrospray ion mobility spectrometry and ion trap mass spectrometry studies of the non-covalent complexes of amino acids and peptides with polyethers, 209
Perrhenate
High intensity perrhenate anion (ReO_4^-) emitters, 157
Polyatomic primary ions
High intensity perrhenate anion (ReO_4^-) emitters, 157
Polyethers
Nanoelectrospray ion mobility spectrometry and ion trap mass spectrometry studies of the non-covalent complexes of amino acids and peptides with polyethers, 209
Potential sputtering
Nanoscopic surface modification by slow ion bombardment, 27

Proton transfer
A selected ion flow tube study of the reactions of H_3O^+, NO^+ and O_2^+ with a series of monoterpenes, 231

QITMS
Laser-induced fluorescence/ion trap as a detector for mass spectrometric analysis of nanoparticles, 67
Quantitative mass spectrometry
Turn-over frequencies of catalytic reactions on nanocatalysts measured by pulsed molecular beams and quantitative mass spectrometry, 99

Reaction mechanism
Gas-phase non-identity S_N2 reactions at neutral nitrogen: a hybrid DFT study, 199
Regioisomers
Analysis of regioisomers of short-chain triacylglycerols by normal phase liquid chromatography–electrospray tandem mass spectrometry, 167
Relaxation
Core level excitation, ionization, relaxation, and fragmentation of free clusters, 117

Secondary ion mass spectrometry
Probing nano-environments of peptide molecules on solid surfaces by highly charged ion secondary ion mass spectrometry, 47
Selected ion flow tube (SIFT) mass spectrometry
Reactions of small hydrocarbons with H_3O^+, O_2^+ and NO^+ ions, 143
Self-bunching
High resolution mass spectrometry using a linear electrostatic ion beam trap, 55
Short-chain triacylglycerols
Analysis of regioisomers of short-chain triacylglycerols by normal phase liquid chromatography–electrospray tandem mass spectrometry, 167
SIFT
A selected ion flow tube study of the reactions of H_3O^+, NO^+ and O_2^+ with a series of monoterpenes, 231
SIMS
High intensity perrhenate anion (ReO_4^-) emitters, 157
S_N2 at neutral nitrogen
Gas-phase non-identity S_N2 reactions at neutral nitrogen: a hybrid DFT study, 199
Solid surfaces
Probing nano-environments of peptide molecules on solid surfaces by highly charged ion secondary ion mass spectrometry, 47
Stilbazolium ligands
Detection of noncovalent interactions of hairpin oligonucleotide with stilbazolium ligands by MALDI TOF mass spectrometry, 225
Supersonic expansion
The effect of charge upon CO-adsorption by ionic group 5 and group 9 transition metal clusters, 61
Surface defects
Nanoscopic surface modification by slow ion bombardment, 27

Tandem mass spectrometry
Analysis of regioisomers of short-chain triacylglycerols by normal phase liquid chromatography–electrospray tandem mass spectrometry, 167
TIMS
Improved techniques for high accuracy isotope ratio measurements of nuclear materials using thermal ionization mass spectrometry, 181
TOF
Turn-over frequencies of catalytic reactions on nanocatalysts measured by pulsed molecular beams and quantitative mass spectrometry, 99
Total evaporation
Improved techniques for high accuracy isotope ratio measurements of nuclear materials using thermal ionization mass spectrometry, 181
Transition metal
The effect of charge upon CO-adsorption by ionic group 5 and group 9 transition metal clusters, 61
Trianions
Production of dianionic and trianionic noble metal clusters in a Penning trap, 19